

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

JP 09-105,077
[Claims only, as requested]

JP 09105077 A 970422 (9728)* 19 <--

APPLICATION DETAILS:

PATENT NO	KIND	APPLICATION	DATE
-----------	------	-------------	------

→ JP 09105077 A		JP 95-258378	951005
-----------------	--	--------------	--------

PRIORITY APPLN. INFO: JP 95-258378 951005

AN 97-285455 [26] WPIDS

AB JP09105077 A UPAB; 971006

A treating agent composition contains: (a) 0.01-20 wt. % of one or more of water-soluble polymers and/or water-based emulsions selected from: (i) a polymer-modified starch or its derivative; (ii) a cellulose derivative polymer; (iii) a saponified matter of polyvinyl acetate or its derivative; (iv) a polymer containing a sulphonic acid group and obtained by polymerising one or more of monomers, each of which having at least a vinyl group and/or an aromatic ring, or its salt; (v) a homopolymer of N-vinyl-2-pyrrolidone (D); (vi) a copolymer obtained by polymerising (D), or its salt, where the molar ratio of the monomer (D) in the copolymer or its salt monomer composition is 30% or more; (vii) a homo- or copolymer of acrylic acid or their salts; (viii) a water-based emulsion of lower fatty acid vinyl ester (F) and unsaturated carboxylic acid (G) obtained by copolymerising (F) and (G) with a monomer (H) copolymerisable; and (ix) a water-based emulsion obtained by (co)polymerising one or more of polymerisable aromatic monomers (I), or obtained by copolymerising one or more of the monomer (I) with one or more of monomers (J) copolymerisable with the monomer (I); and (b) 0.01-20 wt. % of one or more quaternary ammonium salt of formula $R_1N^+(R_2)(R_3)R_4 X^-$ (I). In (I), one or two of $R_1 - R_4 = 8-25$ C alkyl groups or alkenyl groups and the others are 1-3 C alkyl groups or hydroxyalkyl groups; and X^- = an anion group.

Also claimed are: (i) a treated article which is formed by filling the treating agent composition in a container having a device for spraying the liquid filled in the container at the outer area; and (ii) ***clothing*** which is treated by spraying the treating agent composition.

ADVANTAGE - The treating agent composition provides ***clothing*** with moderate feeling and skin touch and depresses wrinkles on washing or drying.

Dwg. 0/1

Code: 282-62527

JAPANESE PATENT OFFICE

PATENT JOURNAL

KOKAI PATENT APPLICATION NO. HEI 9[1997]-105077

Technical Disclosure Section

Int. Cl.⁶:

D 06 M 15/05
13/463
23/06
D 06 M 15/05
23/06
13/46

Application No.:

Hei 7[1995]-258378

Application Date:

October 5, 1995

Publication Date:

April 22, 1997

No. of Claims:

5 (Total of 19 pages; OL)

Examination Request:

Not requested

TREATING AGENT COMPOSITION FOR CLOTHES, A TREATING PRODUCT
FOR CLOTHES, AND A TREATING METHOD FOR CLOTHES

Inventors:

Yasushi Yoshida
Kao Co., Ltd.
Research Institute
1334 Minato,
Wakayama-shi,
Wakayama-ken

Junichi Inokoshi
Kao Co., Ltd.
Research Institute
1334 Minato,
Wakayama-shi,
Wakayama-ken

Hiroshi Dejima
Kao Co., Ltd.
Research Institute
1334 Minato,
Wakayama-shi,
Wakayama-ken

Applicant:

000000918
Kao Co., Ltd.
1-14-10 Kayaba-cho,
Nihonbashi, Chuo-ku,
Tokyo

Agents:

Kaoru Furuya,
patent attorney,
and 3 others

* * *

Claims

1. A treating agent composition for clothes, characterized by the fact that it contains 0.01-20 wt% of component (a) and 0.05-30 wt% of component (b) shown in the following:

component (a): one or more water-soluble polymers and/or aqueous emulsions selected from a group consisting of (i) through (ix) shown in the following:

polymer (i): a chemically modified starch and its derivatives,

polymer (ii): a cellulose derivative,

polymer (iii): a saponified product of polyvinyl acetate and its derivative,

polymer (iv): a polymer or its salts obtained by the polymerization of one or more monomers having at least one vinyl group and/or an aromatic ring and containing a sulfonic acid group,

polymer (v): a homopolymer of N-vinyl-2-pyrrolidone (D),

polymer (vi): a copolymer or its salt obtained by the polymerization of the previously mentioned monomer (D) and one or more vinyl monomers (E) that can copolymerize with said monomer (D) (however, the mole ratio of monomer (D) is more than 30% of the monomer composition of the copolymer or its salt),


polymer (vii): the homopolymer and copolymer of acrylic acid or methacrylic acid, and their salts,

emulsion (viii): an aqueous emulsion obtained by the copolymerization of a lower fatty acid vinyl ester (F) and an unsaturated carboxylic acid (G), or of said (F) and (G) and a monomer (H) that can copolymerize with these,

emulsion (ix): an aqueous emulsion obtained by the (co)polymerization of one or more polymerizable aromatic monomers (I), or by the copolymerization of one or more of said monomers (I) and one or more of monomers (J), which can copolymerize with said monomers (I),

component (b): one or more quaternary ammonium salts represented by the following general formula (I):

(Structure 1)



(where one or two of R¹, R², R³, and R⁴ represent C₈₋₂₅ alkyl groups or alkenyl groups, and the remainder represents C₁₋₃ alkyl groups or hydroxyalkyl groups, and X⁻ represents an anionic group).

2. The treating agent composition for clothes described in Claim 1, in which a water-insoluble silicone is contained as component (c) at 0.01-10 wt% with the average particle diameter of the dispersed particles being 0.01-10 μm.

3. The treating agent composition for clothes described in Claim 1 or 2, in which component (a) is (ii) or (iv) mentioned previously.

4. A treating product for clothes obtained by filling the treating agent for clothes described in any one of Claims 1 through 3 into a vessel equipped with an apparatus for spraying the liquid filled inside it towards the outside.

5. A treating method for clothes, characterized by the fact that the treating agent composition for clothes described in any of Claims 1 through 3 is sprayed onto clothes in a wetted state.

* * *

